

cleaning technology

descaling pumps



No.	Part no.	type	container capacity (L)	throughput (L/min)	pumping level (m)	voltage (V)
1	890170	DOS 25	20	56	10	230
2	890171	Pulce	4	10	20	230

accessories



No.	Part no.	Description	application
1	802127	descaler ETOLIT content 5kg	for coffee machines, dish washers, boilers etc.

hand tools

brushes

cleaning brushes



No.	Part no.	ø (mm)	total length (mm)	trim height (mm)	brush length (mm)
1	802024	-	200	-	45
2	960079	-	380	34	100
3	802102	10	129	24	-

No.	Part no.	ø (mm)	total length (mm)	trim height (mm)	brush length (mm)
4	960080	15	450	-	100
5	960081	50	370	-	100

cylinder brushes

nylon



No.	Part no.	ø (mm)	total length (mm)	brush length (mm)
1	801461	4	300	100
2	801462	6	300	100
3	801463	8	300	100
4	801464	10	300	100

No.	Part no.	ø (mm)	total length (mm)	brush length (mm)
5	801465	12	300	100
6	801466	15	300	100
7	801467	20	300	100

Stainless Steel wire corrugated



No.	Part no.	ø (mm)	total length (mm)	brush length (mm)
1	801451	4	300	100
2	801452	6	300	100
3	801453	8	300	100
4	801454	10	300	100

No.	Part no.	ø (mm)	total length (mm)	brush length (mm)
5	801455	12	300	100
6	801456	15	300	100
7	801457	20	300	100

wire brushes



No.	Part no.	material	version	total length (mm)	brush length (mm)	B (mm)
1	801440	SS wire corrugated	3 row	290	140	30
2	801300	SS wire plane	3 row	194	36	10
3	801302	SS wire plane	3 row	240	145	15
4	801441	SS wire plane	3 row	290	140	20/5
5	801301	SS wire plane	4 row	250	125	20

electricians knives



No.	Part no.	version	L (mm)	weight (g)
1	801061	with hook blade	170	87
2	801063	with plastic handle	195	76
3	801199	with straight blade	170	82
4	801060	with wood handle, 2-piece (blade and reamer)	160	80

hammers

engineer's hammers



No.	Part no.	weight (g)	version	L (mm)	standard
1	801140	200	ash wood shaft	280	DIN 1041
2	801141	300	ash wood shaft	300	DIN 1041

No.	Part no.	weight (g)	version	L (mm)	standard
3	801142	400	ash wood shaft	310	DIN 1041

shafts



No.	Part no.	material	suitable for
1	801370	ash wood	hand hammer 200g
2	801371	ash wood	hand hammer 300g

No.	Part no.	material	suitable for
3	801372	ash wood	hand hammer 400g

plastic hammers



No.	Part no.	weight (g)	version	L (mm)
1	801143	193	interchangeable heads (22mm)	250

No.	Part no.	weight (g)	version	L (mm)
2	801144	374	interchangeable heads (32mm)	280

plastic inserts



No.	Part no.	size (mm)	suitable for
1	801195	22	plastic hammer 193g

No.	Part no.	size (mm)	suitable for
2	801196	32	plastic hammer 374g

hand press guns



1

No.	Part no.	type	L (mm)	Ø (mm)
1	890117	H30M	270	52

pipe tools
flaring tools
flaring tool sets
flaring and cutting



No.	Part no.	version	content	note	sizes
1	801183	inch	3-piece	incl. pipe cutter	3/16.5/16.3/8.1/2.5/8.3/4"
2	801193	metric	3-piece	incl. pipe cutter	6/8/10/12/14/16mm

flaring and swaging



No.	Part no.	version	content	sizes
1	801184	inch	8-piece	1/8.3/16.1/4.5/16.3/8.7/16.1/2.5/8.3/4"
2	801194	metric	8-piece	4/6/8/10/12/14/16/18/22mm

pipe cutters



No.	Part no.	suitable for	No.	Part no.	suitable for
1	801067	1/8" to 1 1/8"	2	801065	1/8" to 5/8"

plate shears



No.	Part no.	material	version	L (mm)	cutting capacity
1	801288	HSS	left	260	plates to 1.8mm/V2A plates to 1.2mm
2	801287	HSS	right	260	plates to 1.8mm/V2A plates to 1.2mm
3	801286	stainless steel-S (HRC 60-62)	left	240	plates to 1.8mm/V2A plates to 1.2mm
4	801285	stainless steel-S (HRC 60-62)	right	240	plates to 1.8mm/V2A plates to 1.2mm

pliers

circlip pliers

WIHA

for inner rings (bores)



No.	Part no.	for internal retaining ring $\varnothing$ (mm)	L (mm)	standard
1	801500	8-13	140	DIN ISO 5256 C
2	801501	12-25	140	DIN ISO 5256 C

No.	Part no.	for internal retaining ring $\varnothing$ (mm)	L (mm)	standard
3	801502	19-60	180	DIN ISO 5256 C

for outer rings (shafts)



No.	Part no.	for external retaining ring $\varnothing$ (mm)	L (mm)	standard
1	801503	3-10	140	DIN ISO 5254 A
2	801504	10-25	140	DIN ISO 5254 A

No.	Part no.	for external retaining ring $\varnothing$ (mm)	L (mm)	standard
3	801505	19-60	180	DIN ISO 5254 A

crimp pliers

group 1



No.	Part no.	Description
1	800095	crimping pliers for end sleeves

No.	Part no.	Description
2	800094	crimping pliers for end sleeves

group 2



No.	Part no.	application	version	crimping range (mm²)
1	800092	terminals insulated	with stripper function	0.5-6
2	800093	uninsulated terminals	with stripper function	0.5-6

group 3



No.	Part no.	application	version	crimping range (mm²)
1	800091	terminals insulated	with transmission and snap-in effect	0.5-6
2	800090	uninsulated terminals	with transmission and snap-in effect	0.5-6

group 4

crimp pliers Ergonomic



No.	Part no.	application	version	crimping range (mm²)
1	800206	insulated terminals	with transmission/interchangeable dies	0.5-6
2	800208	not insulated elbow terminals	with transmission/interchangeable dies	0.5-2.5
3	800207	not insulated pick-up plugs	with transmission/interchangeable dies	0.5-6
4	800210	uninsulated terminals	with transmission/interchangeable dies	1.5-10
5	800209	wire end sleeves	with transmission/interchangeable dies	0.5-6

crimp pliers Profi



No.	Part no.	application	version	crimping range (mm²)
1	800211	insulated terminals	with transmission/interchangeable dies	0.25-2.5
2	800212	not insulated pick-up plugs	with transmission/interchangeable dies	0.5-2.5
3	800223	terminals insulated/wire end sleeves	with transmission/interchangeable dies	0.5-2.5/0.25-2.5
4	800214	uninsulated terminals	with transmission/interchangeable dies	1.5-6
5	800213	wire end sleeves	with transmission/interchangeable dies	0.5-6

crimp pliers Standard



No.	Part no.	application	version	crimping range (mm²)
1	800096	for wire end sleeves	with transmission/interchangeable dies	0.5-6
2	800088	not insulated pick-up plugs	with transmission/interchangeable dies	0.5-6
3	800089	terminals insulated	with transmission/interchangeable dies	0.5-6
4	800204	uninsulated elbow terminals	with transmission/interchangeable dies	0.5-2.5
5	800205	uninsulated terminals	with transmission/interchangeable dies	1.5-10

crimp pliers kits



No.	Part no.	version	content
1	800203	Ergonomic	5-piece
2	800202	Profi	5-piece



No.	Part no.	version	content
3	800201	Standard	6-piece

spare dies

for crimp pliers Ergonomic/Standard



No.	Part no.	application	crimping range (mm²)
1	800216	crimp terminals uninsulated	0.5-6
2	800215	for wire end sleeves	0.5-6
3	800217	terminals insulated	0.5-6

No.	Part no.	application	crimping range (mm²)
4	800219	uninsulated elbow terminals	1-2.5
5	800218	uninsulated terminals	1-10

for crimp pliers Profi



No.	Part no.	application	crimping range (mm²)
1	800221	insulated terminals	0.25-2.5
2	800229	not insulated elbow terminals	0.5-2.5
3	800220	not insulated pick-up plugs	1.5-2.5
4	800224	terminals insulated/wire end sleeves	0.5-2.5/0.25-2.5
5	800228	uninsulated terminals	0.5-6
6	800222	wire end sleeves	0.25-6

plier wrenches



1

No.	Part no.	A/F	version	L (mm)
1	801064	max. 42mm	handle with plastic coating	250

Swedish pipe wrenches

WIHA



1

No.	Part no.	version	size	L (mm)
1	801079	S-inlet	1½"	416

water pump pliers

WIHA



1

2

3

No.	Part no.	type	version	size	L (mm)	standard
1	801071	Basic	handle with plastic coating	1¾"	250	DIN ISO 8976
2	801084	Basic	with push button setting	1¾"	250	DIN ISO 8976
3	801083	Professional	ergonomic handle	1¾"	250	DIN ISO 8976

locking clamps

WIHA



No.	Part no.	L (mm)	version	No.	Part no.	L (mm)	version
1	801070	180	with wire cutter	2	801069	250	with wire cutter

pliers VDE
budget



1



2



3



4



5

No.	Part no.	Description
1	801075	combination pliers L 180mm check VDE
2	801076	diagonal cutter pliers L 180mm check VDE
3	801080	insulating pliers mm² L 160mm check VDE
4	801078	telephone pliers curved 45° L 200mm check VDE
5	801077	telephone pliers straight L 200mm check VDE

WIHA



1



2



3



4



5



6

No.	Part no.	Description
1	803075	combination pliers L 180mm standard DIN ISO 5746
2	803082	diagonal cutter pliers L 160mm
3	803076	diagonal cutter pliers L 180mm
4	803080	insulating pliers mm² L 160mm
5	803078	telephone pliers curved 40° L 200mm
6	803077	telephone pliers straight L 200mm

riveting pliers



1



2

No.	Part no.	type	size (mm)
1	801073	Profi	2.4 - 4.8

No.	Part no.	type	size (mm)
2	801072	Standard	2.4 - 4.8

rivet nut pliers



1

No.	Part no.	for	version
1	801074	M3 - M8	with case and accessories

accessories
blind rivets



No.	Part no.	Ø (mm)	L (mm)	Qty (pcs)
1	560157	3.2	6	50
2	560158	3.2	8	50
3	560159	3.2	10	50

No.	Part no.	Ø (mm)	L (mm)	Qty (pcs)
4	560160	3.8	6	50
5	560161	3.8	9	50

No.	Part no.	Ø (mm)	L (mm)	Qty (pcs)
6	560163	4.8	9	50
7	560164	4.8	10	50

sealed blank rivets (stainless steel)



No.	Part no.	Ø (mm)	L (mm)	Qty (pcs)
1	560180	3.2	10	50

rivet nuts



No.	Part no.	TS	Ø (mm)	L (mm)	Qty (pcs)
1	560154	M4	5.9	11.5	10
2	560155	M5	6.9	13	10

No.	Part no.	TS	Ø (mm)	L (mm)	Qty (pcs)
3	560156	M6	8.9	15	20
4	560153	M8	11	16	10

saws

metal hacksaws



1

No.	Part no.	L (mm)	saw blade length (mm)	note
1	801294	425	300	incl. bi-metal blade

universal hacksaw frames



1

No.	Part no.	material	version	L (mm)	saw blade length (mm)	note
1	801293	nickel-plated square steel	with adjustable wood handle	310	150	incl.universal saw blade

saw blades



1

2

No.	Part no.	version	L (mm)	Qty (pcs)
1	801296	bi-metal	300	1

No.	Part no.	version	L (mm)	Qty (pcs)
2	801295	universal	150	12

screwdrivers

bits

bit holder ¼"

WIHA



1

2

3

4

No.	Part no.	construction	features	content	sizes
1	803054	-	magnetic	-	-
2	801608	-	with storage handle/magnetic	8-piece	6.5/PH1/PH2/PH3/PZ2/T15/T20/T25
3	803001	short	magnetic	-	-
4	801654	short	with storage handle/magnetic	6-piece	4.5/6.5/8/PH1/PH2/PH3

bits

hexagonal

WIHA



32

No.	Part no.	size (mm)	L (mm)
1	801642	1.5	25
2	801643	2.0	25

No.	Part no.	size (mm)	L (mm)
3	801644	2.5	25
4	801645	3.0	25

No.	Part no.	size (mm)	L (mm)
5	801646	4.0	25
6	801647	5.0	25

No.	Part no.	size (mm)	L (mm)
7	801648	6.0	25

No.	Part no.	size (mm)	L (mm)
8	801649	8.0	25

hexagonal with ball head and retaining spring

WIHA



No.	Part no.	construction	size (mm)	L (mm)
1	801650	long	1.5	38
2	801651	long	4.0	38

No.	Part no.	construction	size (mm)	L (mm)
3	801652	long	5.0	38
4	801653	long	6.0	38

Phillips

WIHA



No.	Part no.	size	L (mm)
1	801624	PH1	25
2	801625	PH2	25

No.	Part no.	size	L (mm)
3	801626	PH3	25

slotted

WIHA

long



No.	Part no.	size (mm)	L (mm)
1	801617	0.5x3.0mm	39
2	801619	0.5x4.0	39
3	801618	0.6x3.5mm	39
4	801620	0.6x4.5	39

No.	Part no.	size (mm)	L (mm)
5	801621	0.8x5.5	39
6	801622	1.2x6.5mm	39
7	801623	1.2x8.0mm	39

short



No.	Part no.	size (mm)	L (mm)
1	801613	0.6x4.5	25
2	801614	0.8x5.5	25

No.	Part no.	size (mm)	L (mm)
3	801615	1.2x6.5mm	25
4	801616	1.6x8.0mm	25

torx
WIHA

No.	Part no.	size	L (mm)
1	801627	T8	25
2	801628	T9	25

No.	Part no.	size	L (mm)
3	801629	T10	25
4	801630	T15	25

No.	Part no.	size	L (mm)
5	801631	T20	25
6	801632	T25	25

No.	Part no.	size	L (mm)
7	801633	T27	25
8	801634	T30	25

No.	Part no.	size	L (mm)
9	801635	T40	25

torx with bore
WIHA

No.	Part no.	size	L (mm)
1	801636	T10H	25
2	801637	T15H	25

No.	Part no.	size	L (mm)
3	801638	T20H	25
4	801639	T25H	25

No.	Part no.	size	L (mm)
5	801640	T30H	25
6	801641	T40H	25

other



No.	Part no.	Description
1	801864	spanner for safety screws 4mm L 25mm

bit sets with bit holder
WIHA

No.	Part no.	version	content	sizes
1	801058	slotted/Phillips/pozidriv/torx/hexagonal	31-piece	4.5/5.5/6.5/PH1-3/PZ1-3/T10-40/hexagonal 4-6
2	801609	slotted/Phillips/pozidriv	11-piece	5.5/6.5/PH1-3/PZ1-3
3	801612	hexagon	9-piece	1.5/2/2.5/3/4/5/6/8
4	801610	torx	11-piece	T7/8/9/10/15/20/25/30/40
5	801611	torx with bore	11-piece	T7/8/9/10/15/20/25/27/30/40H

bit sets with bit holder and handle

WIHA

safety bits



1

No.	Part no.	version	content	sizes
1	801237	Torx & Inbus with bore/Tri-Wing/Torq/Spanner	27-piece	T8-40H/TW1-4/TS6-10/SP4-10/TR5/64-10/64

standard bits



1

No.	Part no.	version	content	sizes
1	801238	slotted/Phillips/pozidriv/torx/hexagonal	32-piece	4.5/5.5/6.5/PH1-3/PZ1-3/T10-40/hexagonal 4-6

hexagonal screwdriver

hexagon screwdriver sets

WIHA



1

2

No.	Part no.	version	content	sizes (mm)
1	801605	-	7-piece	2/2.5/3/4/5/6/8
2	801604	with ball head and retaining spring	7-piece	2/2.5/3/4/5/6/8

ball head screwdrivers

WIHA



No.	Part no.	size (mm)	blade length (mm)	total length (mm)
1	803010	2.5	100	204
2	803011	3	100	204
3	803012	4	100	211

No.	Part no.	size (mm)	blade length (mm)	total length (mm)
4	803013	5	100	211
5	803014	6	125	243
6	803015	8	150	268

ball head screwdriver with retaining spring

WIHA



No.	Part no.	size (mm)	blade length (mm)	total length (mm)
1	801536	3	100	204
2	801537	4	100	211
3	801538	5	100	211

No.	Part no.	size (mm)	blade length (mm)	total length (mm)
4	801539	6	125	243
5	801540	8	150	268

hexagonal keys

WIHA



No.	Part no.	size (mm)	L (mm)
1	801553	1.5	46
2	801554	2	51
3	801555	2.5	57
4	801556	3	64

No.	Part no.	size (mm)	L (mm)
5	801557	3.5	70
6	801558	4	72
7	801559	4.5	80

No.	Part no.	size (mm)	L (mm)
8	801560	5	83
9	801561	5.5	90
10	801562	6	94

No.	Part no.	size (mm)	L (mm)
11	801563	7	99
12	801564	8	105
13	801565	9	114

No.	Part no.	size (mm)	L (mm)
14	801566	10	119
15	801567	11	129
16	801568	12	134

offset screwdriver sets

WIHA



No.	Part no.	version	content	sizes (mm)
1	803002	short	9-piece	1.5/2/2.5/3/4/5/6/8/10
2	803281	with ball head	9-piece	1.5/2/2.5/3/4/5/6/8/10
3	801580	with ball head and retaining spring	9-piece	1.5/2/2.5/3/4/5/6/8/10

ball head offset screwdriver

WIHA



No.	Part no.	size (mm)	L (mm)
1	801569	1.5	91
2	801570	2	101
3	801571	2.5	113

No.	Part no.	size (mm)	L (mm)
4	801572	3	128
5	801573	4	142

No.	Part no.	size (mm)	L (mm)
6	801574	5	163
7	801575	6	184

No.	Part no.	size (mm)	L (mm)
8	801576	7	195
9	801577	8	206

No.	Part no.	size (mm)	L (mm)
10	801578	10	231
11	801579	12	259

ball head offset screwdriver with retaining spring

WIHA



No.	Part no.	size (mm)	L (mm)
1	801581	3	128
2	801582	4	142

No.	Part no.	size (mm)	L (mm)
3	801583	5	163

No.	Part no.	size (mm)	L (mm)
4	801584	6	184

No.	Part no.	size (mm)	L (mm)
5	801585	8	206

No.	Part no.	size (mm)	L (mm)
6	801586	10	231

nut spinners

WIHA



No.	Part no.	size (mm)	blade length (mm)	total length (mm)
1	803030	5	125	236
2	803031	5.5	125	236
3	803032	6	125	236
4	803033	7	125	243
5	803034	8	125	243

No.	Part no.	size (mm)	blade length (mm)	total length (mm)
6	803035	9	125	243
7	803036	10	125	243
8	803037	11	125	249
9	803038	12	125	249
10	803039	13	125	249

nut spinner sets



No.	Part no.	version	content	sizes (mm)
1	801542	blade length adjustable	8-piece	5/5.5/6/7/8/10/13
2	801535	hexagon	5-piece	5.5/7/8/10/13

screwdrivers

offset screwdrivers

WIHA



No.	Part no.	version	size	L (mm)
1	801007	Phillips	Phillips cross PH1/PH2	125
2	801008	slotted	1.0x5.5mm	125

No.	Part no.	version	size	L (mm)
3	801009	slotted	1.2x6.5mm	125

screwdrivers

WIHA



No.	Part no.	version	size	blade length (mm)	total length (mm)
1	801514	Phillips	PH1	80	186
2	801515	Phillips	PH2	100	213
3	801507	slotted	0.6x3.5mm	75	186
4	801508	slotted	0.8x4.5mm	90	201
5	801509	slotted	1.0x5.5mm	100	213

No.	Part no.	version	size	blade length (mm)	total length (mm)
6	801511	slotted	1.1x7.0mm	125	238
7	801510	slotted	1.2x6.5mm	125	238
8	801512	slotted	1.2x8.0mm	150	268
9	801513	slotted	1.4x9.0mm	150	268

screwdriver sets



1

No.	Part no.	version	content	sizes	features
1	801506	slotted/Phillips	6-piece	3.5/4.5/5.5/7.0mm/PH1/PH2	with hex bolster

screwdrivers on norm VDE

Low Price



No.	Part no.	version	size	blade length (mm)	handle length (mm)
1	801020	slotted	0.4x2.5mm	75	70
2	801021	slotted	0.8x4.0mm	100	90
3	801022	slotted	1.0x5.5mm	125	99

No.	Part no.	version	size	blade length (mm)	handle length (mm)
4	801023	slotted	1.2x6.5mm	150	99
5	801024	slotted	1.2x8.0mm	175	99

screwdriver set VDE



1

No.	Part no.	content	note	check
1	801000	7-piece	3/5.5/6.5mm/PH0/PH1/PH2/voltage indicator	VDE and GS certified

WIHA

screwdrivers on norm VDE



No.	Part no.	version	size	blade length (mm)	total length (mm)
1	803025	Phillips	PH1	80	191
2	803026	Phillips	PH2	100	218
3	803020	slotted	0.4x2.5mm	75	179
4	803040	slotted	0.5x3.0mm	100	204
5	803029	slotted	0.6x3.5mm	100	204

No.	Part no.	version	size	blade length (mm)	total length (mm)
6	803021	slotted	0.8x4.0mm	100	211
7	803022	slotted	1.0x5.5mm	125	243
8	803023	slotted	1.2x6.5mm	150	268
9	803024	slotted	1.6x8.0mm	175	299

screwdriver set VDE



No.	Part no.	type	version	content	sizes	features
1	803000	-	slotted/Phillips	7-piece	3/4/5.5/6.5mm/PH1-2/voltage indicator	VDE and GS certified
2	803003	slimFix	slotted/Phillips	6-piece	3/4/5.5/6.5mm/PH1-2	VDE and GS certified

voltage indicators VDE



No.	Part no.	size (mm)	version	blade length (mm)	total length (mm)
1	801166	0.5x3.0	slotted	60	140
2	801016	0.5x3.0	slotted	70	165

No.	Part no.	size (mm)	version	blade length (mm)	total length (mm)
3	801167	0.6x3.5	slotted	107	200

screwdrivers short

WIHA



No.	Part no.	version	size	blade length (mm)	total length (mm)
1	803027	Phillips	PH1	25	81
2	803028	Phillips	PH2	25	81

No.	Part no.	version	size	blade length (mm)	total length (mm)
3	803018	slotted	1.0x5.5mm	25	81
4	803019	slotted	1.2x8.0mm	25	81

screwdrivers with steel caps

WIHA



No.	Part no.	version	size	blade length (mm)	total length (mm)
1	801523	Phillips	PH1	80	186
2	801524	Phillips	PH2	100	213
3	801517	slotted	0.6x3.5mm	75	186
4	801518	slotted	0.8x4.5mm	90	201

No.	Part no.	version	size	blade length (mm)	total length (mm)
5	801519	slotted	1.0x5.5mm	100	213
6	801520	slotted	1.2x6.5mm	125	238
7	801521	slotted	1.2x8.0mm	150	271
8	801522	slotted	1.6x10.0mm	175	296

screwdrivers sets with steel caps



1

No.	Part no.	version	content	sizes	features
1	801516	slotted/Phillips	6-piece	3.5/4.5/5.5/6.5/PH1/PH2	with steel cap and hex bolster

screw-holding screwdrivers

WIHA



No.	Part no.	version	size	blade length (mm)	total length (mm)
1	801272	Phillips	PH1	125	236
2	801273	Phillips	PH2	175	286

No.	Part no.	version	size	blade length (mm)	total length (mm)
3	801270	slotted	0.5x3.0mm	100	211
4	801271	slotted	0.8x5.0mm	150	286

WIHA reversible blade systems

handles



1

No.	Part no.	for	features
1	801181	reversible blade 6mm hexagonal	blade length adjustable

reversible blades (chromium vanadium steel)



No.	Part no.	version	size	blade length (mm)
1	801550	hexagonal/hexagonal with ball head	4.0mm	150
2	801551	hexagonal/hexagonal with ball head	5.0mm	150
3	801552	hexagonal/hexagonal with ball head	6.0mm	150
4	801546	Phillips	Phillips cross PH1/PH2	150
5	801543	slotted	0.6x3.5/0.8x4.5mm	150
6	801544	slotted	0.8x4.0/1.0x6.0mm	150
7	801545	slotted	1.0x5.5/1.2x6.5mm	150
8	801547	torx	T10/T15	150
9	801548	torx	T20/T25	150
10	801549	torx	T30/T40	150

reversible blade set



1

No.	Part no.	version	content	sizes
1	801541	blade length adjustable	11-piece	4-6.5/PH,PZ1-2/T10-40/Inbus4-6

torx screwdrivers

torx screwdrivers (with bore)

WIHA



No.	Part no.	size	blade length (mm)	total length (mm)
1	801526	T8H	60	164
2	801527	T9H	60	171
3	801260	T10H	80	191
4	801261	T15H	80	191
5	801262	T20H	100	211

No.	Part no.	size	blade length (mm)	total length (mm)
6	801263	T25H	100	211
7	801264	T27H	115	233
8	801265	T30H	115	233
9	801266	T40H	130	254

torx screwdrivers with retaining springs

WIHA



No.	Part no.	size	blade length (mm)	total length (mm)
1	801529	T10	80	191
2	801530	T15	80	191
3	801531	T20	100	218

No.	Part no.	size	blade length (mm)	total length (mm)
4	801532	T25	100	218
5	801533	T30	115	233
6	801534	T40	130	254

torx screwdriver sets

WIHA



No.	Part no.	version	content	sizes
1	801525	circular blade	7-piece	T8/9/10/15/20/25/30
2	801606	with bore	8-piece	T9/10/15/20/25/27/30/40H
3	801528	with retaining spring	6-piece	T10/15/20/25/30/40

torx keys

WIHA



No.	Part no.	size	L (mm)
1	801587	T10	54
2	801588	T15	57

No.	Part no.	size	L (mm)
3	801589	T20	62
4	801590	T25	67

No.	Part no.	size	L (mm)
5	801591	T27	72

No.	Part no.	size	L (mm)
6	801592	T30	79

No.	Part no.	size	L (mm)
7	801593	T40	86

torx keys with bore

WIHA



No.	Part no.	size	L (mm)
1	801595	T8H	47
2	801596	T9H	51
3	801597	T10H	54

No.	Part no.	size	L (mm)
4	801598	T15H	57
5	801599	T20H	62
6	801600	T25H	67

No.	Part no.	size	L (mm)
7	801601	T27H	72
8	801602	T30H	79
9	801603	T40H	86

torx key sets
WIHA



1

2

No.	Part no.	version	content	sizes
1	801594	with bore	9-piece	T8/9/10/15/20/25/27/30/40H
2	801003	without bore	6-piece	T15/20/25/27/30/40

socket wrenches

socket wrenches

ratchets

PROXXON Industrial



1

2

3

4

No.	Part no.	size	version	L (mm)	material
1	801269	1/4"	scales partition	175	chrome-vanadium steel, chrome-plated
2	801267	1/4"	scales partition	185	chrome-vanadium steel, chrome-plated
3	801274	1/2"	scales partition	280	chrome-vanadium steel, chrome-plated
4	801268	1/2"	scales partition	280	chrome-vanadium steel, chrome-plated

WERA



No.	Part no.	size	version	L (mm)	note
1	803301	1/4"	scales partition	150	-

ratchet sets

PROXXON Industrial



1

2

3

3

No.	Part no.	content	version	size (mm)
1	801177	36-piece	1/4"	4-13/Inbus 1.25-5/T20-30/PH1-2/FD4-5.5
2	801239	49-piece	1/4"	4-13/Inbus3-6/TX8-30/PH1-2/P21+3/FD4-7
3	801278	56-piece	1/4" and 1/2"	4-13 + 10-32/TX20-30/Inbus3-6/FD4-5.5/PH1-2
4	801259	65-piece	1/4" and 1/2"	4-13 + 10-34/TX8-30/Inbus3-6/FD4-7/PH1-2/PZ1-2

cap wrench inserts

1/4"

PROXXON Industrial



No.	Part no.	size (mm)
1	801109	4
2	801110	4.5
3	801111	5

No.	Part no.	size (mm)
4	801112	5.5
5	801113	6
6	801114	7

No.	Part no.	size (mm)
7	801115	8
8	801116	9
9	801117	10

No.	Part no.	size (mm)
10	801118	11
11	801119	12

No.	Part no.	size (mm)
12	801120	13
13	801121	14

slotted bit sockets

PROXXON Industrial



No.	Part no.	size (mm)
1	801312	4
2	801313	5.5

No.	Part no.	size (mm)
3	801314	7

No.	Part no.	size (mm)
4	801320	8

Phillips bit sockets

PROXXON Industrial



No.	Part no.	size
1	801321	PH1

No.	Part no.	size
2	801322	PH2

pozidriv bit sockets

PROXXON Industrial



No.	Part no.	size
1	801323	PZ1

No.	Part no.	size
2	801324	PZ2

torx bit sockets with bore
PROXXON Industrial



No.	Part no.	size
1	801304	TX8
2	801305	TX10

No.	Part no.	size
3	801306	TX15
4	801307	TX20

No.	Part no.	size
5	801308	TX25

No.	Part no.	size
6	801309	TX27

No.	Part no.	size
7	801311	TX30

hexagon bit sockets
PROXXON Industrial



No.	Part no.	size (mm)
1	801289	3

No.	Part no.	size (mm)
2	801292	4

No.	Part no.	size (mm)
3	801298	5

No.	Part no.	size (mm)
4	801299	6

No.	Part no.	size (mm)
5	801303	8

1/2"

PROXXON Industrial



No.	Part no.	size (mm)
1	801122	10
2	801123	11
3	801124	12
4	801125	13

No.	Part no.	size (mm)
5	801126	14
6	801127	15
7	801128	16
8	801129	17

No.	Part no.	size (mm)
9	801130	18
10	801131	19
11	801132	20
12	801133	21

No.	Part no.	size (mm)
13	801134	22
14	801135	23
15	801136	24

No.	Part no.	size (mm)
16	801137	27
17	801138	30
18	801139	32

accessories
PROXXON Industrial



No.	Part no.	Description
1	801108	adapter 1/4" to 3/8" L 25mm
2	801149	extension 1/2" L 125mm
3	801150	extension 1/2" L 250mm

No.	Part no.	Description
4	801148	extension 1/2" L 64mm
5	801104	extension 1/4" L 105mm
6	801107	extension 1/4" L 150mm



No.	Part no.	Description
7	801106	extension 1/4" L 50mm
8	801102	removable handle 1/4" L 140mm
9	801147	T-handle 1/2" L 250mm

No.	Part no.	Description
10	801105	T-handle 1/4" L 115mm
11	801146	universal joint 1/2" L 73mm
12	801103	universal joint 1/4" L 38mm

tubular box wrenches



No.	Part no.	size (mm)	L (mm)	bore ø (mm)
1	801187	17x19	160	12.5
2	801188	18x21	160	12.5

No.	Part no.	size (mm)	L (mm)	bore ø (mm)
3	801189	20x22	170	12.5

cross bars



No.	Part no.	application	ø (mm)	L (mm)
1	801192	for socket wrench	12	250

wrenches

double-open end/combination wrenches sets (chromium vanadium steel)

PROXXON Industrial



No.	Part no.	Description	standard
1	801005	combination wrench set 12-piece sizes 6-19mm	DIN 3113A/ISO 3318/ISO 7738
2	801004	double ended fork wrench set 8-piece sizes 6-22mm	DIN 3118/ISO 3318

double-open end wrenches (chromium vanadium steel)

PROXXON Industrial



No.	Part no.	size (mm)
1	801040	6/7
2	801041	8/9
3	801042	10/11

No.	Part no.	size (mm)
4	801043	12/13
5	801044	14/15
6	801046	16/17

No.	Part no.	size (mm)
7	801047	17/19
8	801048	18/19

No.	Part no.	size (mm)
9	801062	20/22
10	801049	21/23

No.	Part no.	size (mm)
11	801051	24/27
12	801053	30/32

combination wrenches (chromium vanadium steel)

PROXXON Industrial



No.	Part no.	size (mm)
1	801380	6
2	801381	7
3	801382	8

No.	Part no.	size (mm)
4	801383	9
5	801384	10
6	801385	11

No.	Part no.	size (mm)
7	801386	12
8	801387	13
9	801388	14

No.	Part no.	size (mm)
10	801284	15
11	801390	17

No.	Part no.	size (mm)
12	801391	19
13	801394	22

ring wrench (chromium vanadium steel)

double ring wrenches cranked

PROXXON Industrial



No.	Part no.	size (mm)
1	801091	6/7
2	801092	8/9

No.	Part no.	size (mm)
3	801093	10/11
4	801279	12/13

No.	Part no.	size (mm)
5	801282	14/15

No.	Part no.	size (mm)
6	801097	17/19

No.	Part no.	size (mm)
7	801283	20/22

double ring wrenches open

PROXXON Industrial



No.	Part no.	size (mm)
1	801085	8/10

No.	Part no.	size (mm)
2	801086	9/11

No.	Part no.	size (mm)
3	801087	12/14

No.	Part no.	size (mm)
4	801089	17/19

No.	Part no.	size (mm)
5	801090	19/22

adjustable wrench

PROXXON Industrial



No.	Part no.	version	aperture (mm)	L (mm)	standard
1	801275	with scaling	max. 24.5	270	DIN 3117
2	801276	with scaling	max. 29	315	DIN 3117

No.	Part no.	version	aperture (mm)	L (mm)	standard
3	801277	with scaling	max. 34	350	DIN 3117

basin wrenches



1

No.	Part no.	clamping range (mm)	L (mm)	material	version
1	801310	24-32	235	chromium vanadium steel	left and right operation

pullers



1

No.	Part no.	version	seat ø (mm)	TS
1	801197	for fan wheel	27-33	M16x1.5

centre punch



1

No.	Part no.	L (mm)	shaft ø (mm)
1	801206	120	10

chisels



1

No.	Part no.	material	L (mm)	cutting edge width (mm)
1	801205	chromium vanadium steel	125	15

pin punches



No.	Part no.	piont ø (mm)	point length (mm)	shaft ø (mm)
1	801360	3	40	10
2	801361	4	50	10
3	801362	5	50	10

No.	Part no.	piont ø (mm)	point length (mm)	shaft ø (mm)
4	801363	6	50	10
5	801364	7	50	10
6	801365	8	50	12

pin punch set



1

No.	Part no.	content	piont ø (mm)	standard	version
1	801209	6-piece	2/3/4/5/6/8	DIN 6450 C	in metal cassette

bow compass



1

2

No.	Part no.	Description
1	801472	bow compass steel L 150mm standard DIN 6486
2	801468	scriber steel L 250mm