



electrodes

key for electrodes on pages 896-897

type A (heads)



type B (bodies)



L = length BL = body length D = diameter




fig.	part no.	dimensions (mm)								connection	types (key)
		L1	L2	L3	BL1	BL2	BL3	D1	D2		
1	102314	2	-	-	28	3	23	7	9	M4	A1/B1
	100701	32	-	-	18	3	23	7	9	M4	A1/B1
	102339	122	-	-	18	3	23	7	9	M4	A1/B1
2	100719	12	17	-	18	3	23	7	9	M4	A2/B1
3	101779	10	5	-	18	3	23	7	9	M4	A2/B1
4	102330	11	-	-	18	3	23	7	9	ø 2.4mm	A1/B1
5	100706	14	6	-	18	3	23	7	9	M4	A2/B1
6	102333	23	19	-	18	3	23	7	9	M4	A3/B1
	102332	40	46	-	18	3	23	7	9	M4	A3/B1
7	102331	34	40	14	18	3	23	7	9	M4	A5/B1
8	102334	9	12	62	18	3	23	7	9	M4	A4/B2
9	100709	13	23	23	18	3	23	7	9	M4	A6/B2
10	100822	16	25	8	18	3	23	7	9	M4	A7/B2
11	100707	14	6	-	18	3	23	7	9	M4	A2/B2




fig.	part no.	dimensions (mm)								connection	types (key)
		L1	L2	L3	BL1	BL2	BL3	D1	D2		
1	100703	8		-	13	4	22	9	11	M4	A1/B1
2	100704	17	17	-	13	4	22	9	11	M4	A2/B1
3	100702	13	4	-	13	4	22	9	11	ø 4mm	A2/B1
4	100766	50	-	-	27	3	28	9	11	M4	A1/B1
5	102863	14	7	-	27	3	28	9	11	M4	A3/B1
6	102903	9	5	-	15	16	23	6x7	-	F 2.8x0.8mm	A2/B3
7	100708	11	5	-	15	16	23	6x7	-	M4	A2/B3
8	102374	-	-	-	28	16	9	6x7	-	F 2.8x0.8mm	-/B3
9	100736	-	-	-	14	16	14	6x7	-	F 2.8x0.8mm	-/B3
10	100798	15	9	-	14	16	14	6x7	-	F 2.8x0.8mm	A2/B3




fig.	part no.	dimensions (mm)								connection	types (key)	suitable for
		L1	L2	L3	BL1	BL2	BL3	D1	D2			
1	100716	6	-	-	38	14	-	8	10	F 2.8x0.8mm	A1/B4	Gico
	100729	1	-	-	41	14	-	8	10	F 2.8x0.8mm	A1/B4	Lotus
2	100768	8	2	-	28	16	-	6	8	F 2.8x0.8mm	A2/B4	Fimar
3	100800	-	-	-	56	-	-	8	-	F 2.8x0.8mm	A10/B6	Lotus
4	102965	-	-	-	43	-	-	8	-	F 2.8x0.8mm	A10/B5	Therma
5	100720	-	-	-	42	-	-	8	-	F 2.8x0.8mm	A10/B5	Küppersbusch
6	100715	-	-	-	15	35	-	8	7	F 2.8x0.8mm	A10/B1	Ambach
7	100717	-	-	-	18	14	21	6	8.5	F 2.8x0.8mm	A10/B1	Zanussi
8	100799	21	-	-	12	18	-	10	7	F 2.8x0.8mm	A1/B16	Lotus
9	102173	1	-	-	17	3	8	5	7	F 2.8x0.8mm	A1/B1	Olis
10	102880	5	12	-	63	-	-	7	-	ø 4mm	A3/B15	Rational
11	102907	6	6	16	50	-	-	7	-	F 2.8x0.8mm	A5/B15	Salvis
12	100718	55	10	-	22	22	4	10	14	M5	A3/B1	Zanussi

key for electrodes on pages 898-899


type A (heads)



type B (bodies)



type C (flanges)



L = length BL = body length D = diameter




fig.	part no.	dimensions (mm)									connection	thread	cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	D1	D2					
1	100712	5	5	-	-	23	11	23	6	-	F 2.8x0.8mm	M12x1	-	Angelo Po	A2/B7
2	100724	-	-	-	-	13	28	8	8	-	F 2.8x0.8mm	M10x075	-	Juno / Zanussi	A10/B8
3	100741	8	-	-	-	-	-	-	-	-	M4	PG9	-	MKN	A1/-
4	100705	15	20	-	-	18	17	10	7	-	ø 4mm	M11x1	-	CB	A3/B8
5	100721	15	-	-	-	9	25	11	6	-	F 2.8x0.8mm	M10x0.75	-	-	A1/B8
	100815	12	-	-	-	18	17	9	7	-	M4	M11x1	-	Modular	A1/B8
6	100743	21	-	-	-	18	8	19	6	-	F 2.8x0.8mm	1/8"	-	Jünger	A1/B7
7	100819	14	-	-	-	17	9	18	6	-	F 2.8x0.8mm	M8x0.75	1000	Star 10	A1/B7
8	100874	-	-	-	-	-	-	-	-	-	F 6.3x0.8mm	M10x075	-	Palux	-/-
9	102892	22	-	-	-	25	19	-	6	-	2.8x0.8mm	1/8"	-	Honeywell	A1/B9




fig.	part no.	dimensions (mm)							connection (mm)		cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	D1	D2			
1	102161	1.5	-	-	-	22	4	13	5	8	F 2.8x0.8	Bertos	A1/B10
2	100826	2.5	-	-	-	20	4	13	5	8	F 2.8x0.8	MBM	A1/B10
3	100808	2	-	-	-	16	4	13	5	8	F 2.8x0.8	Modular	A1/B10
4	100753	1	-	-	-	15	2	22	6	10	F 2.8x0.8	Emmepi	A1/B10
	100754	4.5	-	-	-	14	2	22	6	10	F 2.8x0.8	Emmepi	A1/B10
5	100167	-	-	-	-	14	2	13	6	8.5	F 2.8x0.8	Bertos/FABA	-/B10
6	100738	-	-	-	-	14	2	15	6	10	ø 2.4	Tecninox/Zanussi	-/B10
7	102375	-	-	-	-	14	2	11	6	10	F 2.8x0.8	INDESit	-/B10
8	102329	23	-	-	-	20	23	-	6	10	F 2.8x0.8	Lotus	A1/B11
	102328	17	-	-	-	20	23	-	6	10	F 2.8x0.8	Lotus	A1/B11
9	100821	-	-	-	-	25	8	3	5	7	F 2.8x0.8	Star 10	-/B12
10	102312	-	-	-	-	17	3	20	6	8	F 2.8x0.8	TECNOEKA	-/B1
11	100733	-	-	-	-	28	3	23	7	8.5	ø 2.4	Bertos/GIGA/Silko	-/B1
	100746	-	-	-	-	28	3	23	7	8.5	ø 2.4	Silko	-/B1
	100747	-	-	-	-	28	3	23	7	8.5	ø 2.4	Silko	-/B1
	100732	-	-	-	-	28	3	23	7	8.5	ø 2.4	Silko	-/B1




fig.	part no.	dimensions (mm)							connection		cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	D1	D2			
1	102316	5	-	-	-	30	24	-	7	-	F 6.3x0.8mm	Inoxtrend	A1/B13/C1
2	100727	14	22	31	-	30	24	-	7	-	-	Tornati Forni	A5/B13/C1
3	101862	13	60	-	-	30	30	-	7	-	F 2.8x0.8mm	Star 10	A3/B13/C1
4	102323	101	-	-	-	21	21	-	9.5	-	M4	Bertos/Emmepi	A1/B13/C2
5	102324	30	16	30	-	21	21	-	9.5	-	M4	Mareno	A6/B13/C2
6	102360	24	32	-	-	33	25	-	9.5	-	ø 6mm	Zanussi	A1/B13/C2
6	102361	20	20	-	-	30	28	-	9.5	-	ø 6mm	Zanussi	A1/B13/C2
6	102175	31	30	-	-	30	28	-	9.5	-	ø 4mm	Zanussi	A1/B13/C2
7	102169	45	30	17	18	30	28	-	9.5	-	ø 6mm	Zanussi	A9/B13/C2
8	102359	60	12	-	-	33	25	-	9.5	-	ø 4mm	Zanussi	A2/B13/C2
9	106315	165	-	-	-	24	35	-	9.5	-	ø 4mm	Universal	A1/B13/C2
10	102342	48	13	15	-	24	35	-	9.5	-	ø 4mm	FOINOX	A6/B13/C2
11	100739	24	71	27	61	24	35	-	9.5	-	ø 4mm	Zanussi	A8/B13/C2

key for electrodes on pages 900-901


type A (heads)



type B (bodies)



type C (flanges)



L = length BL = body length D = diameter




fig.	part no.	dimensions (mm)									connection (mm)	cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	D1	D2				
1	101795	12	27	-	-	17	17	-	6.5	-	F 4.8x0.8	960	TECNOEKA	A3/B13/C1
1	101794	9	16	-	-	17	17	-	6.5	-	F 2.8x0.8	960	TECNOEKA	A3/B13/C1
2	100726	13	11	-	-	23	20	-	7	-	F 2.8x0.8	1420	TORNATI/Forni	A3/B13/C1
3	106313	45	-	-	-	24	29	-	7	-	ø 6	-	Universal	A1/B13/C1
4	102808	17	13	-	-	21	32	-	7	-	ø 6	-	MBM	A3/B13/C1
4	102809	30	38	-	-	21	32	-	7	-	ø 4	-	MBM	A3/B13/C1
4	102807	48	43	-	-	21	32	-	7	-	ø 4	-	MBM	A3/B13/C1
4	102335	13	30	-	-	22	30	-	7	-	-	1100	Baron/Olis	A3/B13/C1
4	102810	25	12	-	-	24	29	-	7	-	ø 6	-	MBM	A3/B13/C1
4	100734	40	12	-	-	24	29	-	7	-	ø 6	-	MBM	A3/B13/C1
4	100735	52	36	-	-	24	29	-	7	-	ø 4	-	MBM	A3/B13/C1
5	100711	50	-	-	-	25	29	-	7	-	F 2.8x0.8	-	-	A1/B13/C1
5	100818	18	-	-	-	12	41	-	7	-	F 2.8x0.8	-	Bertos/MBM	A1/B13/C1
5	102315	5	-	-	-	30	23	-	7	-	F 2.8x0.8	-	Inoxtrend	A1/B13/C1
5	102911	31	-	-	-	20	13	-	7	-	F 2.8x0.8	-	Landmann	A1/B13/C1
6	106312	150	-	-	-	21	25	-	7	-	ø 4	-	Universal	A1/B13/C1
7	106314	95	-	-	-	21	25	-	7	-	ø 6	-	Universal	A1/B13/C1
8	101789	10	50	-	-	21	25	-	7	-	ø 4	-	Ambach	A3/B13/C1
9	101788	12	38	8	-	21	25	-	7	-	ø 6	-	Ambach	A9/B13/C1
10	102165	42	36	12	-	21	25	-	7	-	ø 6	-	Ambach	A5/B13/C1
11	102167	38	58	38	14	21	25	-	7	-	ø 6	-	Ambach	A12/B13/C1
12	101790	34	60	9	-	21	25	-	7	-	ø 6	-	Ambach	A9/B13/C1
13	102168	37	55	38	38	21	25	-	7	-	ø 4	-	Ambach	A13/B13/C1
14	102166	85	40	-	-	21	25	-	7	-	ø 4	-	Ambach	A11/B13/C1





fig.	part no.	dimensions (mm)									connection	cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	D1	D2				
1	106311	80	-	-	-	21	29	-	7	-	ø 4mm	-	Universal	A1/B13/C1
2	101791	35	62	-	-	21	29	-	7	-	ø 4mm	-	Ambach	A3/B13/C1
2	100761	15	17	-	-	21	28	-	7	-	ø 4mm	-	Gico	A3/B13/C1
2	100760	26	17	-	-	21	28	-	7	-	ø 4mm	-	Gico	A3/B13/C1
2	100796	46	17	-	-	21	28	-	7	-	ø 4mm	-	Gico	A3/B13/C1
3	100750	28	18	23	14	21	28	-	7	-	ø 4mm	-	OEM	A12/B13/C1
4	102345	50	-	-	-	30	18	-	9.5	-	F 4.8x0.8mm	500	Zanussi	A1/B13/C2
5	102344	35	35	-	-	-	58	-	9.5	-	F 4.8x0.8mm	850	Zanussi	A3/B13/C2
6	102349	38	10	-	-	23	18	-	9.5	-	F 4.8x0.8mm	700	Zanussi	A3/B13/C4
7	100780	95	18	-	-	19	19	-	9.5	-	F 4.8x0.8mm	1300	Cuppone	A11/B13/C4
8	102351	20	35	26	-	45	48	-	9.5	-	ø 6mm	-	Zanussi	A5/B13/C4
9	100759	54	-	-	-	24	24	-	5	9.5	ø 4mm	-	Fagor	A1/B13/C2
10	101782	12	18	-	-	15	17	-	7	-	M4	-	Küppersbusch	A3/B13/C1
11	102326	1	-	-	-	12	16	-	5.5	-	F 4.8x0.8mm	-	Lotus	A1/B13/C5
11	102327	1	-	-	-	21	15	-	8	-	F 4.8x0.8mm	-	Lotus	A1/B13/C6




fig.	part no.	dimensions (mm)										connection (mm)	cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	BL4	D1	D2				
1	101784	62	-	-	-	20	18	-	9.5	-	-	F 6.3x0.8	-	Küppersbusch	A1/B13/C8
2	102363	11	21	18	-	17	29	-	-	-	-	ø 6	-	Lainox	A1/B13/C10
3	102365	-	-	-	-	17	29	-	-	-	-	ø 6	-	Lainox	A1/B13/C10
	102366	-	-	-	-	17	29	-	-	-	-	ø 6	-	Lainox	A1/B13/C10
4	102364	11	21	18	-	17	29	-	-	-	-	ø 6	-	Lainox	A1/B13/C10
5	102882	-	-	-	-	15	25	-	-	-	-	-	-	Rational	A1/B13/C9
6	102879	-	72	-	-	82	12	-	-	-	-	F 4.8x0.8	-	Rational	A1/B13/-
7	102356	44	-	-	-	44	83	-	15	11	-	-	870	Moretti Forni	A1/-/C1
8	102354	57	-	-	-	25	-	-	32x13	-	-	F 4.8x0.8	570	Moretti Forni	A1/-/-
9	102355	19	10	37	-	17	17	140	60	7	8	F 6.3x0.8	1650	Moretti Forni	A1/B13/C1
10	102357	19	10	37	15	17	17	140	60	7	8	F 4.8x0.8	1650	Moretti Forni	A1/B13/C1

key for electrodes on page 902


type A (heads)



type B (bodies)



type C (flanges)



L = length BL = body length D = diameter



fig.	part no.	dimensions (mm)										connection	cable length (mm)	suitable for	types (key)
		L1	L2	L3	L4	BL1	BL2	BL3	D1	D2					
1	102834	18	25	12	-	20	19	-	9.5	-	M4	-	MKN	A6/B13/C4	
2	102325	30	18	6	-	21	21	-	9.5	-	M4	-	Mareno	A14/B13/C4	
3	100769	56	12	10	-	19	19	-	9.5	-	F 2.8x0.8mm	800	Cuppone	A14/B13/C4	
4	102322	100	-	-	-	21	21	-	9.5	-	M4	-	Bertos/Emmepi	A1/B13/C4	
5	102352	35	-	-	-	30	18	-	9.5	-	F 2.8x0.8mm	600	Zanussi	A1/B13/C4	
6	102362	21	-	-	-	33	26	-	9.5	-	ø 6mm	-	Zanussi	A1/B13/C4	
7	102268	24	10	-	-	70	25	-	9.5	-	ø 6mm	-	MKN	A3/B13/C4	
8	102883	28	-	-	-	80	14	-	9.5	-	F 4.8x0.8mm	600	Rational	A1/B13/C4	
	102884	27	-	-	-	130	24	-	9.5	-	F 2.8x0.8mm	600	Rational	A1/B13/C4	
9	102350	33	11	-	-	20	15	-	9.5	-	F 6.3x0.8/2.8x0.8mm	450	Zanussi	A2/B13/C11	
	102348	33	11	-	-	20	15	-	9.5	-	F 6.3x0.8/2.8x0.8mm	650	Zanussi	A2/B13/C11	
10	101783	26	-	-	-	30	30	-	9.5	-	F 2.8x0.8mm	-	Küppersbusch	A1/B13/C8	
11	101861	12	60	-	-	28	30	-	7	-	F 6.3x0.8/2.8x0.8mm	600	Star 10	A2/B13/-	
12	100742	10	70	-	-	16	25	-	7	-	F 6.3x0.8/2.8x0.8mm	1550	Juno	A2/B13/-	
13	102881	4	12	-	-	66	-	-	24x6	-	ø 4mm	-	Rational	A2/-/-	