

edgmount latches

push button latches




fig.	part no.	description	type
1	700045	latch non lockable	6186
2	690023	latch lockable	6186



fig.	part no.	description	for type
1	700046	plastic handle with spring	6186
2	700050	strike 5mm	6186
3	700051	pendulum strike	6186
4	690108	spacer	6186
5	690109	spacer 1mm	6186

latch without handle




fig.	part no.	description	type
1	690017	latch non lockable	6189
2	690018	latch lockable	6189

handle latches




fig.	part no.	description	type
1	700081	latch non lockable	6188
2	690016	latch lockable	6188
3	690808	latch non lockable for hot applications	6188



cover: plastic, black
handle: metal, chrome-plated

cover: plastic, black
handle: metal, black

fig.	part no.	description	type
1	700776	latch non lockable	6188
2	700777	latch lockable	6188
3	700778	latch non lockable	6188
4	700779	latch lockable	6188




fig.	part no.	description	for type
1	700082	strike 5mm adjustable	6188/6189
2	690110	spacer 1mm	6188/6189
2	690111	spacer 2mm	6188/6189
2	690947	spacer 5mm	6188/6189
3	690114	tilt spacer	6188/6189



fig.	part no.	description	suitable for
1	700458	latch non lockable for heated units	Zanussi
2	700461	strike	Zanussi
3	700439	spring	Zanussi




fig.	part no.	description	type
1	690124	latch non lockable	3.30.0501.0
2	700077	latch lockable	3.30.0500.0
3	700078	strike	




fig.	part no.	description	type
1	690809	latch non lockable	3.30.0157.0
2	700088	latch lockable	3.30.0155.0
3	690121	strike	




fig.	part no.	description	type
1	700373	latch non lockable	3.30.0163.0
2	690122	latch lockable	3.30.0160.0
3	700064	strike	3.30.0161.0




fig.	part no.	description	type
1	700063	latch non lockable	3.30.0164.0
2	700392	latch lockable	3.30.0162.0
3	700064	strike	3.30.0161.0





fig.	part no.	description	type
1	690024	latch non lockable	6201-020001
2	690146	latch non lockable for hot applications 2-stage opening	6200-020961
3	690536	latch non lockable for hot applications 2-stage opening	6200
4	690123	strike	6200-020921



no.	part no.	description	type
1	690438	magnetic latch assembly	6202-020100




fig.	part no.	description	suitable for
1	700467	latch non lockable	Zanussi
2	693937	door handle	Zanussi
3	700468	strike	Zanussi




fig.	part no.	description	type
1	690012	latch non lockable	2074.130.20
2	690011	latch lockable	2074.132.20




fig.	part no.	description	type
1	690013	strike 5 mm	2074
1	690014	strike 10 mm	2074
1	690015	strike 15 mm	2074
2	690307	strike	2086




fig.	part no.	description	type
1	690217	latch lockable	1647.112.20
2	690325	strike	2048.155.70




fig.	part no.	description	type
1	690218	latch lockable	2024.133.20
2	690219	latch lockable	2025.133.20
-	690309	strike	2024/2025




fig.	part no.	description	type
1	690412	latch non lockable	790
2	690413	latch lockable	795




fig.	part no.	description	type
1	700060	latch non lockable for hot applications	791(H)
2	700061	strike (for heated units)	
3	700062	cover for handle	




fig.	part no.	description	type
1	690414	latch non lockable	791
2	690415	latch lockable	796




fig.	part no.	description	type
1	690406	latch non lockable	780
2	690407	latch lockable	785




fig.	part no.	description	type
1	690408	latch non lockable	781
2	690409	latch lockable	786




fig.	part no.	description	type
1	700557	latch non lockable	880
2	700556	latch lockable	885
3	690416	latch non lockable	880PV
4	690417	latch lockable	885PV




fig.	part no.	description	type
1	690400	latch non lockable	680
2	690401	latch lockable	685




fig.	part no.	description	type
1	690402	latch non lockable	681
2	690403	latch lockable	686




fig.	part no.	description	type
1	690404	latch non lockable	690
2	690405	latch lockable	695




fig.	part no.	description	type
1	690205	latch non lockable	691
2	690410	latch lockable	696





fig.	part no.	description	type
1	690178	latch non lockable	R35.3105X



no.	part no.	description	type
1	690519	latch lockable	3045




fig.	part no.	description	outline
1	690418	strike, zinc-plated	A
2	690419	strike, support polyamide	Y





fig.	part no.	description	outline
1	700550	strike, support plastic	Z
2	700061	strike for hot applications	K
3	700435	strike	K



fig.	part no.	description	type
1	690454	latch non lockable complete with strike	560
2	690455	latch non lockable complete with strike	570
3	690456	latch lockable complete with strike	571



fig.	part no.	description	type
1	690428	strike 16.5mm	
1	690429	strike 25.5mm	
2	690445	spacer 2mm	
2	690446	spacer 5mm	



no.	part no.	description	type
1	694080	latch complete with strike	5244L



no.	part no.	description	type
1	690876	eccentric latch	0748

magnetic latches




fig.	part no.	description	type
1	690213	latch non lockable	R27
2	690206	latch non lockable	R24
3	690207	latch lockable	R24



no.	part no.	description	type
1	700728	latch non lockable	R25




fig.	part no.	description	type
1	690208	latch non lockable	R25
2	690209	latch lockable	R25



no.	part no.	description	type
1	690438	latch non lockable	6202-020100




fig.	part no.	description	type
1	700726	latch non lockable	R25
2	700727	latch lockable	R25

drawer latches



fig.	part no.	description	type
1	700036	latch lockable right/left	3.30.0510
2	700037	latch non lockable right/left	3.30.0511



fig.	part no.	description	type
1	700038	latch lockable right/left	3.30.0515
2	700039	latch non lockable right/left	3.30.0516



fig.	part no.	description	type
1	690220	latch lockable left	3.30.0513
2	690221	latch non lockable right	3.30.0514



fig.	part no.	description	type
1	690222	latch lockable left	3.30.0518
2	690223	latch non lockable right	3.30.0519



fig.	part no.	description
1	700078	strike
2	690005	handle rod 480mm
2	690006	handle rod 560mm
2	690007	handle rod 580mm
2	690008	handle rod 630mm
2	690009	handle rod 1000mm



1 cover metal chrome
2 cover metal RAL black
3 cover plastic black

fig.	part no.	description	type
1	690020	latch lockable right/left	6190
1	690019	latch non lockable right/left	6190
2	700782	latch lockable right/left	6190
2	700783	latch non lockable right/left	6190
3	700780	latch lockable right/left	6190
3	700781	latch non lockable right/left	6190




fig.	part no.	description
1	700082	strike
2	690047	console plastic
2	690200	console metal
3	690110	spacer 1mm
3	690111	spacer 2mm
3	690947	spacer 5mm
4	690021	handle rod 1000mm



fig.	part no.	description	type
1	690396	latch lockable right/left	6190
2	690397	latch non lockable right/left	6190



fig.	part no.	description
1	700082	strike
2	690105	console plastic
3	690110	spacer 1mm
3	690111	spacer 2mm
3	690947	spacer 5mm
4	690398	handle rod (round pipe)1000mm




fig.	part no.	description		type
1	690225	latch lockable right		2087
2	690226	latch non lockable left		2087
3	690224	latch non lockable right		2087




fig.	part no.	description	
1	690307	strike	
2	690005	handle rod 480mm	
2	690006	handle rod 560mm	
2	690007	handle rod 580mm	
2	690008	handle rod 630mm	
2	690009	handle rod 1000mm	



fig.	part no.	description		suitable for
1	700788	latch lockable right		Hagola
2	700789	latch non lockable left		Hagola



fig.	part no.	description	
1	700082	strike	
2	690110	spacer 1mm	
2	690111	spacer 2mm	
2	690947	spacer 5mm	
3	700790	handle rod (half-round) 515mm	

face-mount latches

1

fig.	part no.	description	type
1	690228	latch lockable right/left	3.30.0450
1	690229	latch non lockable right/left	3.30.0451
2	690244	strike 20mm	
2	690245	strike 24mm	
2	690246	strike 28mm	
2	690247	strike 32mm	

1

fig.	part no.	description	type
1	690227	latch lockable right/left	3.30.0130
2	690240	strike 20mm	
2	690241	strike 24mm	
2	690242	strike 28mm	
2	690243	strike 32mm	

1

fig.	part no.	description	type
1	690235	latch lockable right/left	6180
2	690236	strike adjustable 19-32mm	

1

fig.	part no.	description	type
1	690215	latch lockable right/left	1653
2	690300	strike 20mm	
2	690301	strike 24mm	
2	690302	strike 28mm	
2	690303	strike 32mm	

1

fig.	part no.	description	type
1	690216	latch lockable right/left	649
2	690304	strike 20mm	
2	690305	strike 24mm	
2	690306	strike 28mm	

1

fig.	part no.	description	type
1	700657	latch non lockable right/left	6172
2	700772	strike adjustable 18-32mm	

1

fig.	part no.	description	type
1	690234	latch lockable right/left	6183
2	700773	strike adjustable 20-28mm	
2	690233	strike adjustable 28-32mm	

1

fig.	part no.	description	type
1	700588	latch non lockable right/left	651
2	700587	strike adjustable 18-30mm	

1

fig.	part no.	description	type
1	700590	latch non lockable right/left	652
2	700589	strike adjustable 14-30mm	

1

fig.	part no.	description	type
1	700658	latch non lockable right/left	6770
2	700774	strike adjustable	

1

fig.	part no.	description	type
1	700659	latch non lockable right/left	6780
2	700775	strike adjustable	

espagnolette locks



fig.	part no.	description	suitable for	equiv. no.
1	514316	door handle	Foinox Bertos	3700.2 25605100
2	690862	latch gear	Foinox Bertos	3747 25878100
3	690829	bush	Foinox Bertos	3736.1
4	691637	roll pin	Foinox Bertos	3780
5	690828	bush	Foinox Bertos	3734
6	514317	disc	Foinox Bertos	3754 25938600



fig.	part no.	description	suitable for	equiv. no.
1	690826	striker bolt 125 mm	Foinox Bertos	3910
1	691655	striker bolt 156 mm	Foinox Bertos	3909
1	691654	striker bolt 173 mm	Foinox Bertos	40332
1	691653	striker bolt 300 mm	Foinox Bertos	40328
1	691657	striker bolt 343 mm	Foinox Bertos	3796
1	691656	striker bolt 375 mm	Foinox Bertos	3795
1	691658	striker bolt 630 mm	Foinox Bertos	40329
2	690827	latch block	Foinox Bertos	3775
3	514321	strike	Foinox Bertos	3738.1 25760000




fig.	part no.	description	suitable for	equiv. no.
1	691044	door handle	Fagor	R660532
2	690042	latch gear	Fagor	R260543
3	690041	latch	Fagor	R260544
4	690040	strike	Fagor	R260545
5	691050	rod	Fagor	R020502




fig.	part no.	description	suitable for	equiv. no.
1	693773	door handle	Electrolux	0K2345
2	693752	door handle	Electrolux	0H6729
3	690042	latch gear	Electrolux	0H6928
4	690041	latch	Electrolux	0K2246
5	700490	strike	Electrolux	0K2247



fig.	part no.	description	suitable for	equiv. no.
1	693937	door handle	Electrolux	0F0029
2	700470	handle support	Electrolux	003826
3	700471	bearing bush	Electrolux	0G2001
4	700472	flange	Electrolux	004098




fig.	part no.	description	suitable for	equiv. no.
1	690042	latch gear	Electrolux	0H6928
2	690041	latch	Electrolux	0K2246
3	693797	spacer plate	Electrolux	004104
4	700490	strike	Electrolux	0K2247
5	700491	gasket	Electrolux	003990




fig.	part no.	description	suitable for	equiv. no.
1	690584	door handle	Giorik	5013218
2	690042	latch gear	Giorik	
3	690041	latch	Giorik	
4	690046	gear console	Giorik	
5	690585	bush	Giorik	2011212
6	690040	strike	Giorik	5900122




fig.	part no.	description	suitable for	equiv. no.
1	693516	door handle	Küppersbusch	133193
2	690042	latch gear	Küppersbusch	133194
3	690041	latch	Küppersbusch	133195
4	690040	strike	Küppersbusch	133196




fig.	part no.	description	suitable for	equiv. no.
1	693530	spacer plate	Küppersbusch	817970000
2	693527	rod	Küppersbusch	756156000
3	692013	locking sleeve	Küppersbusch	156938



fig.	part no.	description	suitable for	equiv. no.
1	690840	door handle	Zanussi	056415
2	690836	gearbox	Zanussi	056550
3	690837	latch	Zanussi	056551
4	690838	strike	Zanussi	056571



fig.	part no.	description	suitable for	equiv. no.
1	690845	intermediate ring	Zanussi	056417
2	690844	plastic disc	Zanussi	056416
3	690843	guide washer	Zanussi	056414
4	690842	nut	Zanussi	056409
5	690841	support	Zanussi	056408



fig.	part no.	description	suitable for	equiv. no.
1	690980	door handle silver	MBM	160912
2	691213	door handle grey	MBM	170919
3	700604	gearbox	MBM	
4	690041	latch	MBM	




fig.	part no.	description	suitable for	equiv. no.
1	690998	bush	MBM	
2	690999	rod	MBM	
3	692013	locking sleeve	MBM	
4	693797	console	MBM	RTFOC00005
5	690046	gear console	MBM	RTFOC00057




fig.	part no.	description	suitable for	equiv. no.
1	700041	door handle	Juno	0H6838
2	700042	rod guide	Juno	
3	700043	cover	Juno	
4	700069	strike	Juno	
5	700052	guide rods (2 pcs)	Juno	



handle length 76mm

handle length 62mm

fig.	part no.	description	suitable for	equiv. no.
1	690089	door handle 76 mm	Lainox	R69015050
2	690561	door handle 62 mm	Lainox	R58003171
3	690591	flange	Lainox	R58003150 R03200970



fig.	part no.	description	suitable for	equiv. no.
1	514295	door handle assembly (free-standing units)	Baron Olis	3107990 3107990
2	514394	door handle assembly (counter-top units)	Baron Olis	3107900 3107900
3	514296	strike	Baron Olis	3107915 3107915



fig.	part no.	description	suitable for	equiv. no.
1	514297	locking piece (counter-top units)	Baron Olis	3107910 3107910
2	514416	locking piece (free-standing units)	Baron Olis	3107991 3107991
3	514298	plate	Baron Olis	3107945 3107945



fig.	part no.	description	suitable for	equiv. no.
1	514300	ring	Baron Olis	3107935 3107935
2	514299	bush	Baron Olis	3107941 3107941
3	514301	spring	Baron Olis	3107955 3107955
4	514302	ball	Baron Olis	A011409 A011409
5	514303	pin	Baron Olis	3107930 3107930

handle locks



fig.	part no.	description	suitable for	equiv. no.
1	514290	door handle	Angelo Po	36M5340
2	111786	symbol plate red	Angelo Po	37M4040
3	111746	symbol plate blue	Angelo Po	37M4700
4	514286	sleeve	Angelo Po	36D8011
5	514287	bush	Angelo Po	36Q1360
6	514288	strike	Angelo Po	30G1650
7	514289	bush	Angelo Po	36D3670



internal mounting

no.	part no.	description	L (mm)	suitable for
1	694054	door handle	33	Angelo Po universal
2	694234	door handle	40	universal
3	694225	door handle	55	universal



external mounting

no.	part no.	description	L (mm)	suitable for
1	694065	door handle	33	Foinox universal
2	694237	door handle	40	universal
3	694236	door handle	55	universal



fig.	part no.	description	suitable for	equiv. no.
1	514390	spring for handle	Foinox	
2	691123	duct	Angelo Po	36E2060
3	694055	latch strike	Angelo Po	36C4391
4	694066	latch strike	Foinox	3772



fig.	part no.	description	suitable for	equiv. no.
1	690336	door handle	Lainox	R69010250
2	690337	cover	Lainox	R69010630
3	690338	strike 1-stage opening	Lainox	R69010260
4	690339	strike 2-stage opening	Lainox	R69010270



fig.	part no.	description	suitable for	equiv. no.
1	693560	door handle	Rational	2016.1507
2	693520	latch	Rational	8474.1305
3	693561	gasket	Rational	5110.1015
4	693562	door latch	Rational	8720.1474
5	693563	strike complete	Rational	8514.1038



fig.	part no.	description	suitable for	equiv. no.
1	693560	door handle	Rational	2016.1507
2	693520	latch	Rational	8474.1305
3	693573	cam	Rational	2940.1305
4	693574	cover	Rational	8455.1300
5	693538	strike assembly	Rational	8514.1307



fig.	part no.	description	suitable for	equiv. no.
1	693581	door handle	Rational	24.00.136
2	693520	latch	Rational	8474.1410
3	693582	support	Rational	24.00.216
4	693573	cover	Rational	2940.1305
5	693538	strike complete	Rational	8514.1307



fig.	part no.	description	suitable for	equiv. no.
1	693575	door handle	Rational	24.00.152
2	693576	latch	Rational	24.00.176
3	693577	spring	Rational	24.00.506
4	693578	support	Rational	24.00.141
5	693579	strike	Rational	24.00.142
6	693580	cover	Rational	24.00.504




fig.	part no.	description	suitable for	equiv. no.
1	693596	door handle	Rational	2016.1504
2	693536	latch	Rational	8474.1300
3	693564	cover	Rational	2039.0340
4	693565	strike support	Rational	2940.1313
5	693566	strike	Rational	2940.1312




fig.	part no.	description	suitable for	equiv. no.
1	693596	door handle	Rational	2016.1504
2	693537	latch	Rational	8474.1001
3	693542	cover	Rational	2039.0319



no.	part no.	description	suitable for	equiv. no.
1	693751	door handle	Juno	0H6882



fig.	part no.	description	suitable for	equiv. no.
1	700481	door handle	Zanussi	06978
2	700482	latch	Zanussi	06977
3	700483	strike	Zanussi	06981
4	690873	door spring	Zanussi	06979



fig.	part no.	description	suitable for	equiv. no.
1	700481	door handle	Zanussi	06978
2	700485	latch	Zanussi	07089
3	700486	strike	Zanussi	07092



fig.	part no.	description	suitable for	equiv. no.
1	691617	door handle	MKN	207089
2	691666	latch	MKN	207092



fig.	part no.	description	suitable for	equiv. no.
1	691784	door handle (free-standing units)	MKN	207149
2	691785	latch (free-standing units)	MKN	207147
3	691786	strike (free-standing units)	MKN	207148



fig.	part no.	description	suitable for	equiv. no.
1	691617	door handle (counter-top units)	MKN	207089
2	691666	latch (counter-top units)	MKN	207092
3	691780	strike (counter-top units)	MKN	207090



fig.	part no.	description	suitable for	equiv. no.
1	691777	cover	MKN	202662
2	691782	cover plate (counter-top units)	MKN	801064
3	691783	cover plate (counter-top units)	MKN	800059
4	691781	cover plate (free-standing units)	MKN	802694



fig.	part no.	description	suitable for	equiv. no.
1	691990	door handle assembly hinge right hand (counter-top units)	Eloma Palux	748765 748765
2	691988	door handle assembly (free-standing units)	Eloma Palux	749532 749532
3	694067	strike, single action	Eloma Palux	747998 747998
4	694253	strike, double action hinge, right hand	Eloma Palux	758264 758264
5	694254	strike, double action hinge, left hand	Eloma Palux	758272 758272

rotary latches



no.	part no.	description	door hinge	handle length (mm)	suitable for
1	690500	pressing lever-lock	right	155	Angelo Po
2	694227	pressing lever-lock	right	160	Angelo Po



no.	part no.	description	door hinge	handle length (mm)	suitable for
1	690044	pressing lever-lock	right	155	Convotherm Wiesheu universal
2	690027	pressing lever-lock	left	155	Convotherm Wiesheu universal



no.	part no.	description	door hinge	handle length (mm)	suitable for
1	700090	pressing lever-lock	right	155	Wiesheu universal



no.	part no.	description	door hinge	handle length (mm)	suitable for
1	700097	pressing lever-lock	left	200	universal




fig.	part no.	description	suitable for	equiv. no.
1	693519	door handle	Rational	2016.1450
2	693592	plastic disc	Rational	2016.1453
3	690103	worm	Rational	2016.1452
4	690102	bearing block	Rational	2016.1457



fig.	part no.	description	door hinge	height	suitable for
1	700091	latch strike	right	56 mm	Convotherm universal
2	690045	latch strike	left	56 mm	Convotherm universal
3	700098	latch strike	right	74 mm	Convotherm Küppersbusch Angelo Po Rational universal
4	690135	latch strike	left	74 mm	Convotherm universal




fig.	part no.	description	suitable for
1	690136	sliding plate right	universal
1	690137	sliding plate left	universal
2	514281	spacer 10mm	Angelo Po





fig.	part no.	description	suitable for	equiv. no.
1	691986	door handle	Convotherm	2525040
2	691987	strike	Convotherm	6012001

cold storage room latches


type A



no..	part no.	A (mm)	door hinge	type
1	690001	80	left	3.31.0650.2
2	690002	80	right	3.31.0650.1
3	691947	90	left	3.31.0653.2
4	691948	90	right	3.31.0653.1
5	690327	100	left	3.31.0654.2
6	690326	100	right	3.31.0654.1

no..	part no.	A (mm)	door hinge	type
7	690162	120	left	3.31.0655.2
8	690160	120	right	3.31.0655.1
9	691949	125	left	3.31.0658.2
10	691950	125	right	3.31.0658.1
11	690163	140	left	3.31.0659.2
12	690161	140	right	3.31.0659.1


type B



no..	part no.	A (mm)	door hinge	type
1	691749	80	left	3.31.2700.2
2	691750	80	right	3.31.2700.1
3	691752	90	left	3.31.2702.2
4	691751	90	right	3.31.2702.1
5	691754	100	left	3.31.2704.2
6	691753	100	right	3.31.2704.1

no..	part no.	A (mm)	door hinge	type
7	691756	120	left	3.31.2706.2
8	691755	120	right	3.31.2706.1
9	691758	125	left	3.31.2707.2
10	691757	125	right	3.31.2707.1
11	691760	140	left	3.31.2708.2
12	691759	140	right	3.31.2708.1


type C



no..	part no.	A (mm)	door hinge	type
1	691743	56-60	left/right	3.31.2301.1
2	691744	80	left/right	3.31.2300.1
3	691745	96-100	left/right	3.31.2310.1

no..	part no.	A (mm)	door hinge	type
4	691746	120	left/right	3.31.2311.1
5	691747	136-140	left/right	3.31.2312.1


type D



no..	part no.	A (mm)	door hinge	type
1	691667	56-60	left/right	3.31.2001.1
2	691668	80	left/right	3.31.2000.1
3	691669	86-90	left/right	3.31.2006.1
4	691670	96-100	left/right	3.31.2010.1

no..	part no.	A (mm)	door hinge	type
5	691671	110	left/right	3.31.2004.1
6	691672	120	left/right	3.31.2011.1
7	691739	136-140	left/right	3.31.2012.1
8	691740	160	left/right	3.31.2016.1


type E



no.	part no.	door thickness (mm)	door hinge	type
1	690170	80	right	7101
2	690172	80	left	7101

no.	part no.	door thickness (mm)	door hinge	type
3	690171	125	right	7101
4	690173	125	left	7101

type E



no.	part no.	door thickness (mm)	door hinge	type
1	690174	80	right	7101
2	690176	80	left	7101

no.	part no.	door thickness (mm)	door hinge	type
3	690175	125	right	7101
4	690177	125	left	7101

accessories




fig.	part no.	description	for type	type
1	690164	strike 11 mm	A, D	3.31.0760.0
2	690165	strike 18 mm	A, D	3.31.0765.0
3	691741	strike 15 mm	D	3.31.0762.0
4	691748	strike 11 mm	C	3.31.0769.0
5	690191	strike	E	7101

fig.	part no.	description	for type	type
6	691765	strike 11 mm	B	3.31.0768.0
7	691766	strike 18 mm	B	3.31.0766.0
8	691762	spacer 5 mm	B	3.31.2795.0
8	691763	spacer 10 mm	B	3.31.2796.0
8	691764	spacer 15 mm	B	3.31.2797.0



no.	part no.	door thickness (mm)	finish	type
1	690125	70-160mm	chrome-plated	3.31.0540

accessories




fig.	part no.	description	body	type
1	690138	strike	chrome-plated	3.31.0543
2	690139	mounting plate	zinc-plated	3.31.0450
3	690140	spacer plate 10 mm	chrome-plated	3.31.0544
3	690141	spacer plate 20 mm	chrome-plated	3.31.0545
3	690142	spacer plate 30 mm	chrome-plated	3.31.0546
3	690143	spacer plate 40 mm	chrome-plated	3.31.0547
3	690144	spacer plate 50 mm	chrome-plated	3.31.0548

fig.	part no.	description	door thickness	type
4	690126	internal opener	70-80 mm	3.31.0470
4	690127	internal opener	81-100 mm	3.31.0471
4	690128	internal opener	101-120 mm	3.31.0472
4	690129	internal opener	121-140 mm	3.31.0473
4	690145	internal opener	141-160 mm	3.31.0474
5	694244	protective handle		3.31.0480



fig.	part no.	door thickness (mm)	finish	type
1	694026	40-172	grey/black	6004
2	694027	40-172	grey/chrome-plated	6004
3	690050	40-172	chrome-plated	6000

accessories




fig.	part no.	description	offset (mm)	type
1	690051	strike, no offset	0	6000
2	690060	strike	30-43	6000
3	690064	spacer plate strike 7.5mm	-	6000
4	690062	spacer plate strike 22mm	-	6000
4	690063	spacer plate strike 42mm	-	6000
4	690065	spacer plate strike 62mm	-	6000
5	690052	spacer plate door handle	-	6000
6	694052	latch strike top part/tap head	-	6004

fig.	part no.	description	offset (mm)	type
6	694043	latch strike	32.5-48.5	6004
6	694044	latch strike	43.5-56.5	6004
6	694045	latch strike	52.5-68.5	6004
6	694046	latch strike	60.5-76.5	6004
6	694047	latch strike	72.5-88.5	6004
6	694048	latch strike	80.5-96.5	6004
6	694049	latch strike	97.5-108.5	6004
6	694050	latch strike	105.5-116.5	6004





fig.	part no.	description	type
1	690054	counter support 0mm	6000/6004
1	690056	counter support 13mm	6000/6004
1	690057	counter support 16mm	6000/6004
1	690058	counter support 19mm	6000/6004
2	690053	spacer plate counter support	6000/6004
3	690073	spacer for internal opener 5 mm	6000/6004
4	694063	protective handle	6000/6004
5	694064	spacer for protective handle 5 mm	6000/6004

fig.	part no.	description	door thickness (mm)	type
6	694025	internal opener	40-56	6000/6004
6	690066	internal opener	60-76	6000/6004
6	690067	internal opener	76-92	6000/6004
6	690068	internal opener	92-108	6000/6004
6	690069	internal opener	108-124	6000/6004
6	690070	internal opener	124-140	6000/6004
6	690071	internal opener	140-156	6000/6004
6	690072	internal opener	156-172	6000/6004



no.	part no.	door thickness (mm)	finish	type
1	694078	40-60	grey	5270/V
2	694087	80-90	grey	5270/V-2
3	690088	100-120	grey	5270/V-3



fig.	part no.	description	door thickness (mm)	finish	type
1	690460	latch assembly	65-80	black	G-995
2	690477	strike	65-80	black	G-995



no.	part no.	description	suitable for
1	690993	latch assembly lockable with strike, door thickness 40-200mm	Desmon



no.	part no.	description	type
1	694081	latch lockable without mounting set	5325AB



no.	part no.	description	door thickness (mm)	type
1	694082	mounting set	50-60	5325AB
2	694083	mounting set	61-80	5325AB
3	694084	mounting set	81-100	5325AB
4	694085	mounting set	101-120	5325AB
5	694086	mounting set	121-140	5325AB




fig.	part no.	description	for door thickness:	type
1	700575	latch assembly with internal opener, lockable, offset 27-42 mm	80 mm	621
1	700784	latch assembly with internal opener, lockable, offset 27-42 mm	140 mm	621
2	700576	latch assembly with internal opener, offset 27-42 mm	80 mm	620
2	700785	latch assembly with internal opener, offset 27-42 mm	140 mm	620



fig.	part no.	description	type
1	700618	internal opener	620/621
2	700619	strike	620/621
3	700795	base plate for strike 15 mm	620/621
3	700796	base plate for strike 30 mm	620/621
3	700797	base plate for strike 50 mm	620/621
3	700798	base plate for strike 80 mm	620/621




fig.	part no.	description	for door thickness:	type
1	700574	latch assembly with internal opener lockable, without strike 27-152 mm	120 mm	921
2	700573	latch assembly with internal opener without strike 27-152 mm	120 mm	920



no.	part no.	description	offset(S)	type
1	700577	strike	27/42 mm	920/921
2	700578	strike	42/57 mm	920/921
3	700579	strike	52/72 mm	920/921
4	700580	strike	65/85 mm	920/921
5	700791	strike	82/102 mm	920/921
6	700792	strike	102/122 mm	920/921
7	700793	strike	117/137 mm	920/921
8	700794	strike	132/152 mm	920/921



no.	part no.	description	type
1	700616	latch assembly lockable with strike, door thickness 40-105 mm	
2	700615	latch assembly lockable with strike, door thickness 40-105 mm	



fig.	part no.	description	type
1	694074	latch	500 TN
2	694077	latch lockable	500 TN



no.	part no.	description	type
1	690658	internal opener	500 TN



no.	part no.	description	type
1	694076	mounting set to door thickness ca.180mm	500 TN




fig.	part no.	description	type
1	694089	latch assembly	217 Qty
2	694090	snap lock assembly	217 Qty




no.	part no.	description	for door thickness:	type
1	690230	latch assembly with internal opener, lockable, offset 28 mm	to 100 mm	




no.	part no.	description	for door thickness:	type
1	690231	latch assembly with internal opener, lockable, offset 28 mm	to 70 mm	



no.	part no.	description	door hinge	type
1	700612	edgemount latch	right	1220
2	700611	edgemount latch	left	1220



no.	part no.	description	door hinge	type
1	700614	edgemount latch lockable, complete with internal opener	right	1221
2	700613	edgemount latch lockable, complete with internal opener	left	1221



no.	part no.	description	door hinge	type
1	700598	edgemount latch complete with inner/outer lever	right	1216
2	700599	edgemount latch complete with inner/outer lever	left	1216



fig.	part no.	description	type
1	700609	snap lock	1220/1221
2	700610	strike	1220/1221



fig.	part no.	description	type
1	700597	snap lock	1216
2	700596	strike	1216




fig.	part no.	description	type
1	700786	latch non lockable with strike	2025
2	694079	latch lockable with strike	2225






fig.	part no.	description	type
1	700787	latch block with strike	075
2	694091	strike	075



no.	part no.	description	type
1	690457	latch non lockable with strike	1825



no.	part no.	description	type
1	690678	latch block with strike	1875







fig.	part no.	description	type
1	700393	latch non lockable with strike	3025
2	700626	latch block with strike	3075



no.	part no.	description	type
1	700570	latch with strike	1225 G200



no.	part no.	description	type
1	700617	latch with strike	6225 G202



no.	part no.	description	type
1	690423	latch with strike	




fig.	part no.	description	type
1	700571	latch without handle with strike	
2	700572	strike	




fig.	part no.	description	type
1	700070	outer handle hinge right hand	3.31.0156




fig.	part no.	description	type
1	700071	latch block	
2	700072	latch strike	

snap locks




fig.	part no.	description	A	B	C	D	E	F	G
1	690104	snap lock	25	15	35	43	11	9.5	8
1	516170	snap lock	25	16	41	50	12.5	10	10
1	690106	snap lock	28.5	20	38.5	51	13	11	9
1	700799	snap lock	28.5	20	41	49	13	11	9
1	690107	snap lock	36.5	28	48.5	60	15	13	11.5
1	700800	snap lock	37	28	50	59	15	13	11.5
1	690903	snap lock	42	30	57	69	20	15	12.5
2	700801	snap lock	28.5	20	41	49	13	11	9
2	700410	snap lock	28.5	20	47	57	14	12	12
2	700802	snap lock	37	28	50	59	15	13	11.5
2	700803	snap lock	42	30	57	69	20	15	12.5



1 spring thickness 1mm 2 spring thickness 1.5mm

fig.	part no.	description	A	B	C	D	E	F	G
1	700428	snap lock	33	23	50	61	32	39	14
1	700668	snap lock	38	26	49	62	35	30	16
2	690596	snap lock	38	27	48	60	36	32	15



fig.	part no.	description	type
1	690557	spring lock	5710
2	690558	cover	5710
3	690559	strike 18 mm	5710
3	700804	strike 25.5 mm	5710
3	700805	strike 33.5 mm	5710




fig.	part no.	description	suitable for	equiv. no.
1	691980	snap lock	Ronda	
2	691981	snap lock	Everlasting	ETA180



fig.	part no.	description	suitable for	equiv. no.
1	691930	snap lock	Priolinox	1000
2	691931	snap lock	Priolinox	3000
3	691929	snap lock	Priolinox	1075

locking devices



no.	part no.	description
1	690028	locking device

key cylinder

with cam straight



fig.	part no.	description	rotation angle	A	B	C	D	E	F
1	690641	key cylinder	90°	M15x1	12.5	31	21	18	12
1	690461	key cylinder	90°	M19x1	16.5	42	16	23	16
1	690917	key cylinder	180°	M20x1.25	17	40	13	24	23
2	690280	key cylinder	180°	M18x1.25	15	26	10	22	15
3	690282	key cylinder	180°	M20x1.25	17	21	22	24	25

with cam offset



no.	part no.	description	rotation angle	A	B	C	D	E	F
1	690283	key cylinder	90°	M18x1.25	15	36	16	24	16.5

with push bolt



fig.	part no.	description	A	B	C	D	E	F
1	690662	key cylinder	M19x1	16.5	20-28	15	23	11
2	690462	key cylinder	M19x1	16.5	38-45	12	23	11
2	690976	key cylinder	M19x1	16.5	38-45	16	23	11
2	690825	key cylinder	M19x2	16.5	30-37	22	23	11
2	690637	key cylinder	M19x2	16.5	37-45	24	23	11

with hook lock



fig.	part no.	description	rotation angle	A	door thickness(mm)	C	D	E
1	691485	key cylinder	90°	24	33-46	20	72	30
2	690284	key cylinder	180°	24	33-46	20	72	30

for cam straight/offset



no.	part no.	description	rotation angle	A	B	C	door thickness (mm)
1	690285	key cylinder	180°	M20x1.25	17	24	0.5-6.5



fig.	part no.	description	length	width	power
1	690278	handle straight	37.5	23	2.5
2	690279	handle offset	30.5	23	2.5



fig.	part no.	description	suitable for
1	691481	key cylinder	Liebherr
2	691483	key cylinder	Liebherr
3	691485	key cylinder	Liebherr
4	691489	key cylinder	Liebherr