




fresh thinking


## Technical Information Cleaning, Rinsing and Polishing





January 2006  
(UK Version)




<b>Pre-Rinse Sprays</b>	
<b>General</b>	
Reach of hose	1.5m
Hose length	3m
Dimensions (h x d)	866mm x 340mm
<b>Installation information</b>	
Water connection	PR1-1/2" BSP F PR2 & PR3-15mm compression joint
Water feed	15mm copper pipe
Water pressure range	0.4 to 5 bar (4 to 50m head)
Water temperature	65°C (150°F) maximum
Fixings	Wall bracket adjustable 35mm - 180mm
<b>Features</b>	
	Lightweight heat insulated spray head
	Protective rubber bumper on spray head
	Stainless steel spirally wound covered hose
	Stainless steel vertical tube
	Wall bracket for vertical tube
<b>Product code details</b>	
F63/100	PR1 With water connection
F63/200	PR2 With single tap
F63/300	PR3 With mixer tap
O63/PRA11	Bracing Spray for island locations
<b>Shipping specification</b>	
Packing dimensions (h x w x d)	1220mm x 440mm x 80mm
Packing volume	0.042m <sup>3</sup>
Packing weight (gross/net) PR1	5kg/4kg
Packing weight (gross/net) PR2	6kg/5kg
Packing weight (gross/net) PR3	7kg/6kg



<b>Reel Kleen Hose Reels</b>	
<b>General</b>	
Reach of hose RK15	4.5m (15ft)
Dimensions (h x w x d)	560mm x 92mm x 313mm
Reach of hose RK35	10m (35ft)
Dimensions (h x w x d)	640mm x 194mm x 384mm
<b>Installation information</b>	
Water pressure range	2.1 to 13.8 bar (30 to 200 PSI)
Water temperature	82°C (180°F) maximum
Water connection	3/8" IPS Female
Water feed	15mm copper pipe
<b>Features</b>	
	Reinforced rubber hose
	Re-coil system
	Built-in multi-bracket for wall or ceiling mounting
<b>Product code details</b>	
U05/013	Reel Kleen 15 (RK15)
U05/012	Reel Kleen 35 (RK35)
<b>Shipping specification</b>	
Reel Kleen 15 (RK15)	
Packing dimensions (h x w x d)	390mm x 330mm x 18mm
Packing volume	0.023m <sup>3</sup>
Packing weight (gross/net)	9kg/8kg
Reel Kleen 35 (RK35)	
Packing dimensions (h x w x d)	510mm x 290mm x 380mm
Packing volume	0.056m <sup>3</sup>
Packing weight (gross/net)	17kg/14kg




<b>Pot Boy</b>	
<b>General</b>	
Reach of hose	1.5m
Dimensions (h x d)	245mm x 625mm x 265mm (not including pipework)
Safety	Hydraulic brush head system provides electrical isolation and overload protection.
<b>Electrical Information</b>	
Motor	0.37kW (0.5HP)
Voltage	220/240-1-50
Fuse rating	1 phase (13A)
<b>Installation information</b>	
Head speed	360rpm
Hydraulic fluid pressure	30 bar
Mounting height	1.15m above sink
Power Supply	Requires suitable fused power supply within 2m of machine. Supplied with 2.5m cable.
<b>Features</b>	
	Wall mounting plate
	Foot operated pneumatic switch
	Long lasting nylon brush head
	Magikut exterior scrubber
<b>Customer options</b>	
Options	Mobile trolley with 500mm x 500mm dishwasher tray
<b>Product code details</b>	
F64/100	Pot Boy
S64/090	Mobile trolley with 500mm x 500mm dishwasher tray
U07/012	Long lasting nylon brush head
U07/PGW2	Magikut exterior scourer (5 pads)
<b>Shipping specification</b>	
Pot Boy	
Packing dimensions (h x w x d)	660mm x 290mm x 710mm
Packing volume	0.14m <sup>3</sup>
Packing weight (gross/net)	32kg/28kg
Trolley	
Packing dimensions (h x w x d)	630mm x 420mm x 770mm
Packing volume	0.20m <sup>3</sup>
Packing weight (gross/net)	10kg/9kg




<b>A4 Burnisher</b>	
<b>General</b>	
Capacity	Up to 350 pieces of cutlery
	Silver items up to 260mm diameter
Dimensions (h x w x d)	910mm x 1220mm x 710mm
Lid open height	1500mm
<b>Electrical information</b>	
Motor	0.25kW (0.33HP)
Voltage **	220/240-1-50/60
	380/415-3-50
Fuse rating	1 phase (10A) or 3 phase (5A)
<b>Features</b>	
	70kg steel balls
	10kg burnishing powder
	1kg degreasant
	Teapot rod
	Division plates
<b>Product code details</b>	
F62/300	1 phase A4 burnisher
F62/320	3 phase A4 burnisher
S62/096	10kg burnishing powder
S62/095	1kg degreasant
S62/092	5kg steel balls
S62/094	25kg steel balls
<b>Shipping specification</b>	
Packing dimensions (h x w x d)	1280mm x 770mm x 1050mm
Packing volume	1.035m <sup>3</sup>
Packing weight (gross/net)	263kg/226kg

\*\* other voltages available on request

## Spray Units




## Reel Kleen



Model	A	B	D	E	F	G	H	I	J
RK15	290	65	92	172	62	71	71	313	560
RK35	336	80	177	253	127	70	133	384	640

## Pot Boy



## A4 Burnisher

